






# The HP Designjet printing system—the complete solution

HP Designjet printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



- In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging.
- With Original HP 772, HP 91, or HP 70 Photo Inks, or Original HP 771 Vivid Photo Inks, or Original HP 83 UV inks. Display permanence rating for interior displays/ away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see globalBMG.com/hp/t/printpermanence.
- With Original HP 771 Vivid Photo Inks, Original HP 91 or HP 70 Photo Inks, or Original HP 83 UV inks. Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant calculation assumes 6,000 Lux/12 hr day. For more information, see globalBMG.com/hp/t/printpermanence.

## Gain versatility, productivity—and recycle<sup>1</sup>

#### Produce vibrant, long-lasting images

See great results with every print. Designed for maximum ink absorption, this photo paper includes a microporous surface that enables higher ink density, speeds dry time, and achieves vibrant, long-lasting color.

#### Boost productivity, enable enhanced profitability

Enjoy the productivity advantages of a photo paper designed to provide excellent everyday image quality while keeping your workflow running smoothly. With a fast dry time, prints are easy to handle—and you can move quickly to lamination.

#### Gain photo versatility and recyclability

Gain versatility with this everyday photo paper—from presentations to displays to photo enlargements—and achieve consistent, high-impact photo image quality. And meet your environmental objectives with this recyclable, FSC®-certified paper.

Target customers	Applications	Benefits	
Print service providers	Photo enlargements	Long-lasting, vibrant photo image quality	
Graphic designers	Posters and presentations	Fast dry time for easy handling	
Professional photographers	Trade show and event displays	Optimized for HP pigment inks	
Digital fine art reproduction houses	POP and retail displays	Up to 200 years indoor display permanence;² up to 1 year in-window³	
		FSC®-certified paper	
		Recyclable through commonly available programs <sup>1</sup>	

### **Technical specifications**



#### **HP Everyday Instant-dry Gloss Photo Paper**

For the latest ICC profiles/paper presets and a variety of resources to help you get the most out of your printer and HP large format printing materials, please visit globalBMG.com/hp/.

Weight	235 g/m² per ISO 536	Test Method					
Thickness	235 g/III- per ISO 536 Test Metriod 231 microns/9.1 mil per ISO 534 Test Method						
Opacity	96% per TAPPI T-425 and ISO 2471 Test Methods						
Brightness	90% per TAPPI T-425 and ISO 2471 Test Methods						
Whiteness	90% per IAPPI 1-452 dita iso 2470 fest methods 90 per ISO 11476 Test Method						
Finish	Gloss						
Operating temperature	15 to 30° C / 59 to 86° F						
Operating humidity	30 to 80% RH						
Display permanence (Indoor home or office)	Up to 200 years with Original HP 772, HP 91, or HP 70 Photo Inks, or HP 771 Vivid Photo Inks; up to 100 years with HP 83 UV inks <sup>4</sup>						
Display permanence (Commercial in-window, unlaminated)	Up to 1 year with Original HP 771 Vivid Photo Inks, HP 91 or HP 70 Photo Inks, or HP 83 UV inks <sup>5</sup>						
Waterresistance	Water resistant with Original HP 771 Vivid Photo Inks or HP 70 Photo Inks; moderately water resistant with HP 772 or HP 91 Photo Inks, or HP 83 UV inks <sup>6</sup>						
Dry time	5 minutes (at 23° C, 5	5 minutes (at 23° C, 50% RH)					
Lamination	Yes, hot or cold	Yes, hot or cold					
Shelf life	2 years, unopened in original packaging						
Storage temperature	18 to 30° C / 64 to 86° F						
Storage humidity	35 to 55% RH						
Recyclability	In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging						
Country of origin	Product of Germany	Product of Germany					
Ordering information	Product numbers	Roll sizes	UPC codes	Region			
	Q8916A	610 mm x 30,5 m (24 in x 100 ft)	848412012972	Worldwide			
	Q8917A	914 mm x 30,5 m (36 in x 100 ft)	848412012989	Worldwide			
	Q8918A	1067 mm x 30,5 m (42 in x 100 ft)	848412012996	Worldwide			
	SD709A	(610 mm x 30,5 m) 24 in x 100 ft	848412014181	Japan			
Warranty		ing materials are free from defects in 1 G.com/hp/MediaWarranties.	materials and workmansh	nip. For warranty statement,			

- Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see globalBMG.com/hp/t/printpermanence.
- 5 Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant—calculation assumes 6,000 Lux/12 hr day. For more information, see globalBMG.com/hp/t/printpermanence.
- 6 Performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see globalBMG.com/hp/t/printpermanence.





Note: Not all FSC\*-certified products are available in all regions.

For detailed information on the HP large format print media portfolio and to order, visit globalBMG.com/hp

