



A premium quality instant dry lustre photo paper with a special micro-porous coating provides excellent ink absorption, large colour gamut and improved black definition.

Ideal for high quality photographic prints, posters, visual mock ups and client proofs.

Specially developed for the booming photography and graphic design market this lustre finish paper enables you to create photo-realistic prints of impressive colour quality and detail. Thanks to the special ink absorption layer high amounts of ink dries immediately and the print is water resistant.

The special properties of this paper also enable you to achieve a large colour gamut and rich black density.

All specifications are correct at time of print and are subject to change without notice. E&OE

Product specifications

Weight	255 g/m ² (+/- 10gsm) DIN EN ISO536	
Thickness	265 microns (+/- 12 microns) ISO534	
Opacity	> 96% (+/-4%) DIN53146	
Whiteness	97 (+/- 3%) ISO2471	
Finish	Lustre	
Gloss value 75°	50% (+/- 5)	
Smoothness	n/a	
Stiffness md	2.3 (+/- 0.8mN) ISO2493	
Stiffness cd	1.3 (+/- 0.5mN) ISO2493	
Operating temperature	15 to 100 degrees centigrade	
Operating humidity	20 to 80% RH	
Dry time	Instant dry with heating (at 23 degrees centigrade, 50% RH)	
Shelf time	2 years, unopened in original packaging	
Storage temperature	0 to 40 degrees centigrade	
Storage humidity	5 to 95% RH	
Country of origin	Product of Germany	
Printer / Ink Compatibility	Compatible with all aqueous based dye, pigment and UltraChrome K3 Inks from all leading manufacturers such as Canon, Epson and Hewlett Packard	
Lamination	Can be laminated with commercially available thermal and pressure sensitive films	
Ordering information	Product numbers	Roll Sizes
	XPLPRO260-A3	A2 x 50 sheets
	XPLPRO260-A3+	A3+ x 50 sheets
	XPLPRO260-17	432mm x 30m
	XPLPRO260-24	610mm x 30m
	XPLPRO260-36	914mm x 30m
	XPLPRO260-42	1067mm x 30m
Warranty	Xativa large format printing materials are guaranteed to meet Xativa published specifications, to be free of manufacturing flaws and defects, and are designed to resist paper jams when used correctly	

