XSAPP80

Xativa Self Adhesive Polypropelene

An 80 micron matt adhesive polypropelene material with semi-permanent adhesive with great colour depth and outstanding image quality.

Ideal for retail, point of purchase displays and event signage.

See outstanding image quality with a wide colour gamut using this 80 micron matt finish adhesive polyproplene film. Perfect for short term advertising on store front windows and smooth substrates the semi-permanent adhesive offers great removability from most surfaces without leaving a residue.

Suitable for use with all aqueous based dye, pigment and UltraChrome K3 lnks this film can be laminated for further weather and scratch resistance.

All specifications are correct at time of print and are subject to change without notice. E&OE

Product specifications

Product specifications		
Weight	185 g/m² (+/- 5)	
Thickness	190 microns (+/- 5 microns)	
Media layer thickness	115 microns (+/- 5 microns)	
Media layer weight	90 g/m² (+/- 5)	\mathbb{N}
Release film thickness	50 microns (+/- 5 microns)	\\
Release film weight	70 g/m² (+/- 5)	
Opacity	> 96%	
Whiteness	120 (+/- 3%)	/_/
Finish	Matte	
Adhesive strength	Good	
Water resistance	Good	/
Operating temperature	15 to 100 degrees centigrade	
Operating humidity	20 to 80% RH	
Dry time	Instant dry with heating (at 23 degrees centigrade, 50% RH)	
Shelf time	2 years, unopened in original pa	ckaging/ / /
Storage temperature	0 to 40 degrees centigrade	
Storage humidity	5 to 95% RH	
Country of origin	Product of United Kingdom	
Printer / Ink Compatibility	Compatible with all eco, mild and hard solvent printers as well as latex and UV printers with leading manufacturers such as Hewlett Packard, Epson, Roland, Mimaki and Durst	
Lamination	Can be laminated with commercially available thermal and pressure sensitive films	
Ordering information	Product numbers	Roll Sizes
	XSAPP80-24	610mm x 30m
	XSAPP80-36	914mm x 30m
	XSAPP80-42	1067mm x 30m
	XSAPP80-50	1270mm x 30m
	XSAPP80-60///	1524mm x 30m
Warranty	Xativa large format printing materials are guaranteed to meet Xativa published specifications, to be free of manufacturing flaws and defects, and are designed to resist paper jams when used correctly	











